


# Made to make a difference



The difference is  
bone ingrowth

 **smith&nephew**

**BIOSURE<sup>◇</sup>**  
**REGENESORB**

Interference Screw



Supporting healthcare professionals

# Not all interference screws are created equal

## Bone ingrowth

Open architecture to allow for bone to grow through the screw and attach to the graft<sup>1</sup>

## Reliable performance

Strength expected from a solid absorbable interference screw<sup>2</sup>

## Advanced material

REGENSORB Material is replaced by bone within 24 months in preclinical studies<sup>3</sup>



## **BIOSURE<sup>®</sup> REGENESORB** Interference Screw

The unique BIOSURE REGENESORB Screw is the first interference screw made out of an advanced biocomposite material with an open-architecture design to allow for bone ingrowth, while also providing the kind of performance expected with a solid absorbable interference screw.<sup>2</sup>






# The difference is **bone ingrowth**

1

**Open architecture** allows bone ingrowth...

## Solid interference screw


Conventional solid interference screws limit bone ingrowth to the head and tip of the screw



Renderings are for illustrative purposes

## BIOSURE REGENESORB Interference Screw

Open-architecture design allows bone ingrowth across the interference screw<sup>1</sup>



Micro-CT scan at 12 weeks post-implantation, in an ovine ACL reconstruction study<sup>1</sup>




Approximately 50% bone volume is restored by new bone within center cannulation at 12 weeks as demonstrated by pre-clinical studies.<sup>1</sup>

VS

2

Which leads to circumferential **graft-to-bone integration**...

## Solid interference screw



Renderings are for illustrative purposes



### Limited graft-to-bone integration

A solid screw only allows integration on the side contacting the tunnel wall

## BIOSURE REGENESORB Interference Screw



Transverse micro-CT scan at 12 weeks post-implantation, in an ovine ACL reconstruction study<sup>4</sup>



### Circumferential graft-to-bone integration

Proven integration by bone on all sides of the graft, as demonstrated by a pre-clinical study



New bone is integrated into the graft in areas not previously accessed by solid conventional interference screws, resulting in **circumferential graft-to-bone integration**, as demonstrated by a pre-clinical study.<sup>4</sup>

VS

3

And impacts the healing process.



Integration between bone and graft plays a role in the remodeling and healing process, as suggested by several studies.<sup>5-8</sup>

smith&nephew



Vol 06 - No 07 - September 2018

## Bone & Joint Science

Our Innovation in Focus

**BIOSURE® REGENESORB Interference Screw:**  
Rapid bone ingrowth and tendon-bone healing at 12 weeks in an ovine anterior cruciate ligament reconstruction model

John Wessely, Nick Coates, PhD  
1. Smith & Nephew Inc., East Windsor  
2. Smith & Nephew Inc., Warwick, Massachusetts, USA


|   |   |
|---|---|
| <p><b>1 Research goal</b></p> <p>To measure bone ingrowth into BIOSURE REGENESORB interference screws and assess bone-tendon integration in an ovine anterior cruciate ligament (ACL) reconstruction model<sup>1</sup></p>  | <p><b>2 Type of evidence</b></p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <br/>Economic analysis         </div> <div style="text-align: center;"> <br/>History data         </div> <div style="text-align: center;"> <br/>Literature review         </div> </div>  |
| <p><b>3 Clinical relevance</b></p> <p>There has been a steady rise in ACL reconstruction procedures performed in recent decades, particularly in female patients and those younger than 20 or older than 40 years of age.<sup>2</sup></p> <p>Conventionally, bioabsorbable interference screws are routinely used as fixation devices for reconstructing soft tissue to bone in ACL reconstruction.<sup>3</sup></p> <p>BIOSURE REGENESORB interference screws (Smith &amp; Nephew, Inc., Figure 1) have an open architecture, and so they may surface area for bone ingrowth than conventional solid interference screws.<sup>4</sup></p> <p>REGESORB is an advanced bioabsorbable material that utilizes two bioabsorbable components: calcium sulfate and beta tricalcium phosphate (β-TCP). These materials act in the bone healing process at both early (0-12 weeks) and late (up to 18 months) time points.<sup>4,5</sup></p> | <p><b>Figure 1. BIOSURE REGENESORB interference screw.</b></p>  <p><b>Figure 2. Bone ingrowth in the central component of the BIOSURE REGENESORB interference screw at 12 weeks.</b></p>  |
| <p><b>4 Key results</b></p> <p>At 12 weeks, the mean volume of bone retained within the open component of the interference screws was 30% and 44% in the femoral and tibial tunnel sites, respectively (Figure 2).<sup>6</sup></p> <p>Tendon remodeling was observed within the tunnels, usually together with ossification and/or bone integration.<sup>6</sup></p>  | <p><b>5 Important considerations</b></p> <p>Although encouraging, animal study outcomes do not necessarily correlate with human outcomes.</p>   |

White Paper available

## RELIABLE PERFORMANCE THAT'S EXPECTED FROM A SOLID SCREW

The open-architecture design provides the benefits of bone ingrowth without compromising strength or reliability. The BIOSURE® REGENESORB Interference Screw exhibits the fixation strength of a solid absorbable interference screw without statistical difference throughout the healing period in a simulated degradation environment.<sup>9</sup>

The full length of the BIOSURE REGENESORB Interference Screw is supported by the BIOSURE Driver. Torsional stress is transferred off the screw and onto the driver, resulting in superior performance during insertion.<sup>10,11</sup>




# Advanced biocomposite material

## REGENESORB Material is replaced by bone within 24 months

The REGENESORB Material mixture is designed to remain mechanically stable for a minimum of six months before subsequently being absorbed and replaced by bone within 24 months.<sup>12</sup>

### Long-term absorption profile of solid REGENESORB Implant in a preclinical model




Gross anatomy and histology images of a 9x10mm implant of REGENESORB Material evaluated in a direct-in-bone sheep model. Images clearly demonstrate absorption and complete replacement by bone in 24 months. Please note this implant was designed for this preclinical study and is not an exact replica of a BIOSURE® REGENESORB Interference Screw.



## The science behind REGENESORB Material

REGENESORB Material is a unique formula of osteoconductive component materials, each proven safe and biocompatible with over decades of clinical use.<sup>13,14</sup>



### Calcium Sulfate

Works in early healing stages at 4–12 weeks<sup>15</sup>

### β-TCP

Sustained bone formation over 18 months<sup>15</sup>

### PLGA

Comprised of natural products – lactic acid and glycolic acid



Unlike competitive materials, REGENESORB Material includes a second osteo-conductive material, calcium sulfate.

- Works in early stages (4–12 weeks) of bone healing<sup>15</sup>
- Associated with increased levels of local growth factors<sup>16</sup>

## References

1. As demonstrated by micro-CT analysis and quantifications of bone ingrowth within cannulation of implanted screw in femoral tunnel compared to undisturbed bone in a preclinical ovine ACLR study (49.5%, stdev 12.5%). Data on File at Smith & Nephew, report NCS250. Results of in vivo simulation have not been shown to quantitatively predict clinical performance.
2. Compared to BIOSURE HA Interference Screws. Data on file at Smith & Nephew, reports 15004843, 15002832, 15002353, 15002699.
3. In vivo animal testing has demonstrated that REGENESORB Material is bioabsorbable and is replaced by bone. Implants (9x10mm) were implanted in ovine cancellous bone and compared to an empty defect (9x10mm) at 6, 12, 18 and 24 months (n=6). Micro-CT analysis demonstrated that by 24 months, bone ingrowth into this material (289.5mm<sup>3</sup>) was significantly greater (p<0.05) than bone ingrowth into an empty defect (170.2mm<sup>3</sup>) and reaches a bone volume not statistically different from intact bone (188.2mm<sup>3</sup>). Results of in vivo simulation have not been shown to quantitatively predict human clinical performance. Data on file at Smith & Nephew, report 15000897.
4. Data on file at Smith & Nephew, report NCS250.
5. Kuang GM, Yau WP, Lu WW et al. Osteointegration of soft tissue grafts within the bone tunnels in anterior cruciate ligament reconstruction can be enhanced. *Knee Surg Sports Traumatol Arthrosc.* 2010 Aug;18(8):1038-51. doi: 10.1007/s00167-009-0910-1. Epub 2009 Sep 25.
6. *The Anterior Cruciate Ligament: Reconstruction and Basic Science.* Chadwick C. Prodromos, editor. Philadelphia: Saunders; 2008. ISBN: 978-1-4160-3834-4.
7. *Current Concepts in ACL Reconstruction.* Freddie H. Fu and Stephen B. Cohen, editors. SLACK Incorporated NJ, USA. ISBN: 978-1556428135.
8. *Anterior Cruciate Ligament Reconstruction: A Practical Surgical Guide.* Siebold, Rainer, Dejour, David, Zaffagnini, Stefano, editors. Springer Science & Business, 2014 ISBN 978-3-642-45349-6.
9. Compared to BIOSURE HA Interference Screws in biomechanical studies. Results between BIOSURE REGENESORB and BIOSURE HA were not statistically significant. Data on file at Smith & Nephew, reports 15004843, 15002832, 15002353, 15002699.
10. Data on file at Smith & Nephew, report 15004843 and 15005418.
11. Compared to 7x23mm Arthrex BioComposite and 7x23mm Mitek Milagro (p<.05). Data on file at Smith & Nephew, report 15005418.
12. In vivo animal testing has demonstrated that REGENESORB Material is bioabsorbable and is replaced by bone. Implants (9x10mm) were implanted in ovine cancellous bone and compared to an empty defect (9x10mm) at 6, 12, 18 and 24 months (n=6). Micro-CT analysis demonstrated that by 24 months, bone ingrowth into this material (289.5mm<sup>3</sup>) was significantly greater (p<0.05) than bone ingrowth into an empty defect (170.2mm<sup>3</sup>) and reached a bone volume not statistically different from intact bone (188.2mm<sup>3</sup>). Results of in vivo simulation have not been shown to quantitatively predict clinical performance. Data on file at Smith & Nephew, report 15000897.
13. Smith & Nephew White Paper 10601161 REGENESORB: Absorbable Biocomposite Material.
14. Data on file at Smith & Nephew, reports 15000897, 15001194, 15000921, 15000919, NCS250.
15. Costantino and Friedman. *Synthetic Bone Graft Substitutes* (1994) *Otolaryngol Clin North Am.* 1994 Oct;27(5).
16. Walsh et al, (2003) *Clin. Orthop. Rel. Res.* Vol 406, Allison Et al (2011) *US Oncology and Hematology* Vol 7(1).

# Ordering Information

| Reference #                                   | Description   |
|---|---|
| <b>BIOSURE® REGENESORB Interference Screw</b> |   |
| 72204389                                      | BIOSURE REGENESORB Interference Screw 5mm x 20mm*               |
| 72204390                                      | BIOSURE REGENESORB Interference Screw 5mm x 25mm*               |
| 72204391                                      | BIOSURE REGENESORB Interference Screw 6mm x 20mm                |
| 72204392                                      | BIOSURE REGENESORB Interference Screw 6mm x 25mm                |
| 72204393                                      | BIOSURE REGENESORB Interference Screw 6mm x 25mm Reverse Thread |
| 72204394                                      | BIOSURE REGENESORB Interference Screw 7mm x 20mm                |
| 72204395                                      | BIOSURE REGENESORB Interference Screw 7mm x 25mm                |
| 72204396                                      | BIOSURE REGENESORB Interference Screw 7mm x 25mm Reverse Thread |
| 72204397                                      | BIOSURE REGENESORB Interference Screw 7mm x 30mm                |
| 72204398                                      | BIOSURE REGENESORB Interference Screw 8mm x 20mm                |
| 72204399                                      | BIOSURE REGENESORB Interference Screw 8mm x 25mm                |
| 72204400                                      | BIOSURE REGENESORB Interference Screw 8mm x 25mm Reverse Thread |
| 72204401                                      | BIOSURE REGENESORB Interference Screw 8mm x 30mm                |
| 72204402                                      | BIOSURE REGENESORB Interference Screw 8mm x 35mm                |
| 72204403                                      | BIOSURE REGENESORB Interference Screw 9mm x 20mm                |
| 72204404                                      | BIOSURE REGENESORB Interference Screw 9mm x 25mm                |
| 72204405                                      | BIOSURE REGENESORB Interference Screw 9mm x 30mm                |
| 72204406                                      | BIOSURE REGENESORB Interference Screw 9mm x 35mm                |
| 72204407                                      | BIOSURE REGENESORB Interference Screw 10mm x 20mm               |
| 72204408                                      | BIOSURE REGENESORB Interference Screw 10mm x 25mm               |
| 72204409                                      | BIOSURE REGENESORB Interference Screw 10mm x 30mm               |
| 72204410                                      | BIOSURE REGENESORB Interference Screw 10mm x 35mm               |
| 72204411                                      | BIOSURE REGENESORB Interference Screw 11mm x 25mm               |
| 72204412                                      | BIOSURE REGENESORB Interference Screw 11mm x 30mm               |
| 72204413                                      | BIOSURE REGENESORB Interference Screw 11mm x 35mm               |
| 72204414                                      | BIOSURE REGENESORB Interference Screw 12mm x 35mm               |

\*BIOSURE REGENESORB Interference Screws with 5mm diameter require use with 5mm BIOSURE Driver.

| Reference #        | Description                                 |
|--------------------|---|
| <b>Instruments</b> |   |
| 7211138            | Guide Wire, 1.2mm x 12" sterile (5 per box) |
| 72201201           | Guide Wire, 1.2mm x 18" sterile (5 per box) |
| 72201887           | BIOSURE Driver                              |
| 72204647           | BIOSURE Driver, 5mm*                        |
| 72201888           | BIOSURE Ratchet Driver (requires 7207707)   |
| 7207707            | Ratcheting Handle with Hudson Adapter       |

| Reference #     | Description                                     |
|-----------------|---|
| <b>72201941</b> | <b>BIOSURE TAP System - includes 1 each of:</b> |
| 72201889        | 6mm BIOSURE Tap                                 |
| 72201890        | 7mm BIOSURE Tap                                 |
| 72201891        | 8mm BIOSURE Tap                                 |
| 72201892        | 9mm BIOSURE Tap                                 |
| 72201893        | 10mm BIOSURE Tap                                |
| 72201887        | BIOSURE Driver                                  |
| 72201938        | BIOSURE Tap Tray                                |

| Reference #     | Description  |
|-----------------|--|
| <b>72201942</b> | <b>BIOSURE EASY TAP System - includes 1 each of:</b> |
| 72201190        | 6mm BIOSURE EASY Tap                                 |
| 72201191        | 7mm BIOSURE EASY Tap                                 |
| 72201192        | 8mm BIOSURE EASY Tap                                 |
| 72201193        | 9mm BIOSURE EASY Tap                                 |
| 72201194        | 10mm BIOSURE EASY Tap                                |
| 72201888        | BIOSURE Ratchet Driver                               |
| 7207707         | Ratcheting Handle with Hudson Adapter                |
| 72201939        | BIOSURE EASY Tap Tray                                |



For more information  
contact your local sales  
representative or visit  
[www.smith-nephew.com](http://www.smith-nephew.com)



BIOSURE REGENESORB  
Interference Screw



BIOSURE Driver



BIOSURE TAP System